# Introduction to Environments

GeneXus



As we already know, one of the great benefits of GeneXus is that it allows you to generate applications for different platforms, with a web interface or for mobile devices, generating code in different programming languages or storing the application data in different databases.

All this information is defined in an Environment, an execution environment.

eate knowledge Base		
To Create the Knowledg	e Base type in its name, select a directory and your preferred prot	otyping environment.
	Name:	
	Knowledge Base	
	Directory:	
XX	C:\Models	
	Prototyping Environment:	
	C# C# Environment	
	C# C# Environment	
	5 Java Environment	Advanced >>
	Creat	e Cancel

Remember that GeneXus has a full version and a trial version with certain limitations, among which are the programming languages and databases available.

A default environment is created when the knowledge base is created. If we have a full version of GeneXus, the dialog box asks the user to select the programming language that will be used for the application back end. The rest of the information must be configured through its properties. Front end and Back end



Remember that the Front end is the part of the application that interacts with the users, while the Back end of an application takes care of all its logic and programs, as well as the connection to the database, servers, etc.



٥		Ф )		
	🛃 🌾 Filter			
~	Environment: .Net Environment			
	User Interface	Web		
	Language	C#		
	Reorganization Generator	Default		
	Data Source	SQL Server		
	Target Path	CSharpModel		
	Translation type	No translation		
	Startup Object	(none)		
	Preserve Table Casing	True		
	Business Component	False		
	Populate Data	True		
	Synchronize with External \	True		
	DateTime storage timezon	(GMT/UTC) Greenwich Mean Time		
	Name	.Net Environment		
	<ul> <li>Transaction integrity</li> </ul>			
	Commit on exit	n exit Yes		
	v Web information			
	✓ Security			
	Encrypt URL paramete	No		
	Protocol specification	Unsecure (HTTP:)		
	HTTP Errors Handlers			
	Http Error Handlers	Disabled		

In the IDE of a full version of GeneXus, all the Environment information is in the Preferences window. We can see it has several properties defined that determine the execution platform and its characteristics.

An Environment is composed of the following nodes:

- Back end
- Front end
- And Deployment



In the Back end node, you define the programming languages that will be used to generate it. It could be C#, Java, .Net Core. We already see the default generator, which was indicated when the knowledge base was created.

It is possible to define more generators under this node, simply by right-clicking and choosing New generator.

The generator properties define characteristics of the generated objects, the server or the programming language to be used.



Let's go now to the Data Stores node. Here we define the type of database where we will store our application data, and it is also possible to define other databases that we can access to query information.

If we look at the Data Store properties, we can define the database connection data, such as the server address, user, password, database version, etc.



As for the Services node, in its properties we can configure the management of services, storage configurations, notifications, etc.



Let's go now to the Front end node. Here we see the set of generators available to design this component of the application, and finally the Deployment node, where you can define different deployment units.

It should be mentioned that a Deployment unit indicates the set of objects to be integrated when making the deployment.

#### GeneXus Full version - How to create a new Environment

X     As Current Environment		Name: ProductionEr Basic Advanced Runtime Environme Local
et As Current Environment ew Environment		Basic Advanced Runtime Environme
et As Current Environment ew Environment		Runtime Environme
et As Current Environment ew Environment		Local
ew Environment	- /	
istory Ctrl+Shift+H ename F2 elete Del operties F4		Back end Language . Java Data Store
(port		Gracle
	name F2 lete Del operties F4 port am Development n	and y Carlonn Hi name F2 lete Del operties F4 poort am Development +

Local	GeneXus Prototyping Cloud
Back end Language Java Data Store	<ul> <li>✓ Front end</li> <li>✓ Web (Java)</li> <li>✓ Android</li> <li>✓ Apple</li> <li>✓ Web (Angular)</li> </ul>
1-12	

GeneXus allows us to define different execution environments for the same knowledge base.

For example, it is possible to define an execution environment for the development stage where we connect to a database with test data, and then another production environment where we define the server and database for the finished application.

Let's then define a new environment.

To do so, we click on the name of the environment already defined, right-click and select New Environment. We must indicate:

- The name of the new environment. We will set it as a production environment.
- Next, we need to indicate if it is going to be prototyped locally or in the GeneXus cloud.
- Choose the language for the back end,
- select the data store that will be used,
- and the Front-end generators.

Note that if you select that you are going to prototype in the GeneXus cloud, the option to choose the Data Store is disabled.



Once the new environment is defined, note that the one with the name highlighted, and the play icon, will be the active environment and the one that will be applied when you press F5.

To build the application in the other environment, just right-click on the name of that environment, and select Set as current environment.

GeneXus Trial version - Default Environment



Finally, if you are using the trial version of GeneXus, it is not possible to define new environments.

When creating the knowledge base, the only execution environment that will prototype in the GeneXus cloud is defined by default; it will have C# as generator for the Back end, and C#, Android, Apple, and Angular for the Front end generation.

If we go now to the IDE of the GeneXus trial version, we see that the Environments node is integrated in the KBExplorer window.

We can see the options of the Back end and also the Front end. If we right-click on it, we see that there is no option to define a new environment.



training.genexus.com wiki.genexus.com training.genexus.com/certifications